



PRODUCT CATALOG

Ernie Roy
ernie@coldsells.com
864-541-1992

Alan McKenzie
alan@coldsells.com
704-400-8614

Marson Berry
marson@coldsells.com
704-905-2544

07/19/2016

www.coldsells.com
6612 East W.T. Harris Blvd Suite G
Charlotte, NC 28215
Phone: 704-321-9204 Fax: 704-321-9206

DISPLAY FREEZERS

FEATURES

Bottom Mounted Compressor
 Self-Closing Doors
 Adjustable shelves
 Digital Temperature Control
 Castors
 Anti Fog Glass Doors
 Interior LED Lighting
 Foamed in place poly Insulation
 Painted Steel Cabinet
 Compressor cooled to -8 F
 1 Year parts & labor warranty
 4 Year Compressor Warranty
 ETL/NSF Certifications

OPTIONS:

Custom Graphics



DG23F



DG48F

<i>MODEL</i>	<i># OF SHELVES</i>	<i>WEIGHT LBS</i>	<i>EXT DIMS W/D/H INCHES</i>	<i>INT DIMS W/D/H INCHES</i>	<i>AMPS</i>	<i>CUBIC FT</i>
DG23F	5	325	26.8 x 31.9 x 79.5	19. X 21 x 41	11	23
DG48F	10	400	53.9 x 31.9 x 79.5	48 x 21 x 49	12	48

www.coldsells.com

07/19/2016

6612 East W.T. Harris Blvd Suite G
 Charlotte, NC 28215
 Phone: 704-321-9204 Fax: 704-321-9206

DISPLAY REFRIGERATORS

FEATURES

- Bottom Mounted Compressor
- 3 Adjustable Shelves
- Manual Temperature Control
- Legs on SC230
- /Casters on DG's
- Interior LED lighting
- Black Vinyl on Steel exterior
- Stainless Interior Painted White
- Compressor cooled to 33 to 38 F
- Auto defrost
- ETL/NSF 7
- Warranty 1 year parts and labor
- 4 year compressor warranty

OPTIONS

Custom Graphics



SC230



DG23R



DG48R

DIMENSIONS AND SPECIFICATIONS-FREEZERS

<i>MODEL</i>	<i># OF SHELVES</i>	<i>WEIGH T LBS</i>	<i>EXT DIMS W/D/H INCHES</i>	<i>INT DIMS W/D/H INCHES</i>	<i>AMPS</i>	<i>CUBIC FT CAPACITY NET</i>
SC230	5	150	23 x 23 x 55.5	19.5 x 18 x 41	5.8	8.1
DG23R	3	300	26.8 x 31.9 x 79.5	19. X 21 x 41	7.6	23
DG48R	6	450	53.9 x 31.9 x 79.5	48 x 21 x 49	11.8	48

07/19/2016

6612 E W.T. Harris Charlotte NC 28215

Web: www.coldsells.com,

Phone/Fax: 1-704-321-9204/9206

COLDSELLS.com™

FEATURES

- Bottom Mounted Compressor
- Adjustable Shelves
- Manual Temperature Control
- 4 1.25 inch Castors Standard
- Interior Lighting
- Painted White steel cabinet
- Compressor Cooled to 32 F
- Auto Defrost
- Interior Painted Aluminum
- Warranty 1 year parts and labor
- 4 year compressor warranty

OPTIONS

Custom Graphics

DISPLAY REFRIGERATORS



SC360

DIMENSIONS AND SPECIFICATIONS-FREEZERS

MODEL	# OF SHELVES	WEIGH T LBS	EXT DIMS W/D/H INCHES	INT DIMS W/D/H INCHES	AMPS	CUBIC FT CAPACITY NET
SC360	4	175	23 x 24 x 77	20 x 19 x 53	5.8	12

07/19/2016

•6612 E W.T. Harris BLVD –G Charlotte, NC 28215

•Web: www.coldsells.com, Phone/Fax: 1-704-321-9204/9206

OPEN-AIR MERCHANDISERS

FEATURES

- Cartridge Refrigeration System
- Air Curtain
- Adjustable shelves
- Digital temperature control
- Interior LED lighting
- Foamed in place poly Insulation
- Painted steel cabinet
- Compressor cooled to 32 F
- Auto defrost
- Warranty 1 year parts and labor
- 4 year compressor warranty
- ETL/NSF

OPTIONS

Custom Graphics



B2



C2



C3

DIMENSIONS AND SPECIFICATIONS

<i>MODEL</i>	<i># OF SHELVES</i>	<i>WEIGHT LBS</i>	<i>EXT DIMS W/D/H INCHES</i>	<i>VOLTAGE</i>	<i>AMPS</i>	<i>CUBIC FT</i>
B2	2	315	28 x 28 x 57.5	110	6	13
C1	4	375	28 x 28 x 79.3	110	8	17.6
C2	4	484	36 x 33 x 79.3	110	8	28
C3	4	638	48 x 33 x 79.3	110	16	39

07/19/2016

6612 East W.T. Harris Blvd Suite G

Charlotte, NC 28215

Phone: 704-321-9204 Fax: 704-321-9206

COUNTERTOP DISPLAY COOLERS

FEATURES

- LED Lighting
- Double pane tempered glass
- Adjustable shelves
- Durable steel cabinet
- Adjustable thermostat
- Temperature range 32 – 50F
- Warranty 1 year parts & labor
- 4 Year Compressor Warranty
- ETL/NSF

OPTIONS

Custom Graphics



SC21



SC40B with
lighted header



SC52



SC52B

DIMENSIONS AND SPECIFICATIONS

MODEL	SHELVES	WEIGHT LBS	EXT DIMS W/D/H	INT BTM DIM W/D/H INCHES	INT TOP DIM W/D/H INCHES	POWER USAGE	CUBIC FT CAPACITY NET
SC21	1	49	14.5 x 17 x 20	10 x 5 x 7	10 x 8 x 6.25	1.0 KW	.75
SC40B	3	49	15.75 x 16 x 29	N/A	12 X 10 X 17.5	1.0 KW	1.5
SC52	1	50	17 x 18.75 x 23	14.5 x 9.25 x 7	14.4 x 12 x 8.5	1.0 KW	1.85
SC52B	2	50	17 x 17.75 x 31	N/A	13.5 x 11.5 x 19.5	1.0 KW	1.85

COUNTERTOP DISPLAY COOLERS

FEATURES

- LED Lighting
- Double pane tempered glass
- Adjustable shelves
- Durable steel cabinet
- Adjustable thermostat
- Temperature range 32 – 50F
- Warranty 1 year parts & labor
- 4 Year Compressor Warranty
- ETL/NSF

OPTIONS

Custom Graphics



SC80B



SC98



SC130

DIMENSIONS AND SPECIFICATIONS

<i>MODEL</i>	<i># SHELVES</i>	<i>WEIGHT LBS</i>	<i>EXT DIMS W/D/H</i>	<i>INT BTM DIM W/D/H INCHES</i>	<i>INT TOP DIM W/D/H INCHES</i>	<i>POWER USAGE</i>	<i>CUBIC FT CAPACITY NET</i>
SC80B	3	63	18.2 x 18.5 x 36.7	N/A	13.8 x 11 x 24.8	1.7 KW	2.8
SC98	4	76	19 x 18 x 32	15.7 x 9.25 x 9	15.7 x 14.5 x 20	1.7 KW	3.5
SC130	5	88	21 x 22 x 32.5	18 x 9.25 x 9	18 x 16 x 20	2.4 KW	4.6

COUNTERTOP DISPLAY FREEZERS

FEATURES

- LED Lighting
- Double pane tempered glass
- Adjustable shelves
- Durable steel cabinet
- Adjustable thermostat
- To -10
- Warranty 1 year parts/90 days labor
- 3 Year Compressor Warranty
- ETL/NSF

OPTIONS

Custom Graphics



SD21



SD50B



SD98

DIMENSIONS AND SPECIFICATIONS

<i>MODEL</i>	<i># SHELVES</i>	<i>WEIGHT LBS</i>	<i>EXT DIMS W/D/H</i>	<i>INT TOP DIM W/D/H INCHES</i>	<i>POWER USAGE</i>	<i>CUBIC FT CAPACITY NET</i>
SD21	1	49	15.7x 16.9 x 21.5	10.2 x 11.4(5.7) x 14	1.0 KW	.75
SD50B	2	78	18.1 x 19.5 x 33	12.5 x 12 x 19.25	2.0 KW	1.77
SD98	4.5	110	23.5 x 21.5 x 33.5	15.5 x 14 x 26	3.3 KW	3.5

07/19/2016

6612 East W.T. Harris Blvd Suite G
 Charlotte, NC 28215
 Phone: 704-321-9204 Fax: 704-321-9206

GOLDSSELLS.com™

FEATURES

- Curved Glass Low-E sliding lids
- Internal LED lighting
- Lock and Keys
- 2" Castors
- Baskets with 2 dividers per basket
- Analog Thermometer
- ABS Top Frame
- Painted Steel Exterior with Rounded Corners
- Aluminum Interior
- Dual Condensers
- Cabinet Drain
- Certified to UL and NSF
- 1 year parts and labor/5 years compressor

OPTIONS

- Custom Graphics

HORIZONTAL DISPLAY FREEZERS



**SD405
(5 Basket)**

DIMENSIONS AND SPECIFICATIONS

<i>MODEL</i>	<i># BASKETS</i>	<i>WEIGHT LBS</i>	<i>DIMENSIONS W/D/H INCHES</i>	<i>ENERGY Kw/24hrs</i>	<i>QTY PER 40' HIGH CUBE CONTAINER</i>	<i>CUBIC FT CAPACITY NET</i>
SD235	3	133	31.5x27.3x33.5	1.7	117	6.0
SD325	4	165	41x27x33	2.3	96	8.5
SD405	5	180	49x27x33	3	81	10.5
SD516	6	200	59.4x27x33	4	66	13.5
SD575	7	231	66x27x33	4.5	57	15.2

07/19/2016

6612 East W.T. Harris Blvd Suite G

Charlotte, NC 28215

Phone: 704-321-9204 Fax: 704-321-9206

GOLDSSELLS.com™

FEATURES

- Visual Dipping Ice Cream Cabinets
- LED Lighting
- Curved Sliding Top Glass Front
- Casters
- Drain w/ Drip tray
- White Cabinet, ABS Top Frame
- Cubed Sneeze guard (Assy Req)
- Temperature range +15F to -13F
- 1 Year Parts & Labor Warranty
- 4 Years Compressor Warranty

DIPPING CABINETS



DIMENSIONS AND SPECIFICATIONS

MODEL	# OF FACINGS (3 gal)	STORAGE CAPACITY (3 gal)	DIMENSIONS W/D/H INCHES	WEIGHT LBS
SD250SSG	4	2	31.5 x 27.3 x 50.39	300
SD450SSG	8	6	51.7 x 27.3 x 50.39	400
SD650SSG	12	10	70.8 x 27.3 x 50.39	500

07/19/2016

6612 East W.T. Harris Blvd Suite G
Charlotte, NC 28215
Phone: 704-321-9204 Fax: 704-321-9206

GOLDSSELLS.com™

FEATURES

- Auto Defrost
- Bottom Drain with Plug
- Cold Wall Evaporator Coil
- Dual Heavy Duty 4" Swivel Casters
- Refrigerant CFC Free R-134-A
- 8 Ft Power Cord & Plug Set
- Digital Thermostat Read-Out
- Built in Security Lock w/Keys
- LED Digital Temp Display
- Stainless Lid, Door & Interior
- 2.5" Thick Foamed in Place
- Polyurethane Insulation
- Swivel Hinges on Door & Lid
- Electronic thermostat +35-40 F
- Two Epoxy Coated Wire Floor Racks
- Warranty is 3 year parts and labor
- And 5 years on the compressor

OPTIONS

- Custom Graphics

MILK COOLERS



MC-34



MC-49



MC-58



DIMENSIONS AND SPECIFICATIONS

MODEL	LIDS/ DOORS	MILK CRATES	DIMENSIONS W/D/H INCHES	AMPS	WEIGHT LBS	CUBIC FT CAPACITY NET
KCMC-34	1/1	8	34 x 30 x 40.3	4.5	298	12.4
KCMC-49	1/1	12	49 x 30 x 40.3	4.5	382	18.4
KCMC-58	1/1	16	58 x 30 x 40.3	8.5	428	22

07/19/2016

6612 East W.T. Harris Blvd Suite G

Charlotte, NC 28215

Phone: 704-321-9204 Fax: 704-321-9206

GOLDSSELLS.com™

STAINLESS REACH IN REFRIGERATORS & FREEZERS

FEATURES

- Stainless Interior and Exterior
- Bottom Mounted Compressor
- Self-Closing Doors
- Digital Temperature Controls
- Adjustable Heavy-Duty Shelves
- Castors
- Refrigerator & Freezer
- ETL/NSF
- 3 Years Parts & Labor
- 5 Year compressor warranty



DIMENSIONS AND SPECIFICATIONS

DOORS	FRIDGE WEIGHT	FREEZER WEIGHT	DIMENSIONS W/D/H INCHES	AMPS FRIDGE	AMPS FREEZER	CUBIC FT CAPACITY NET
1	300	300	29 x 34 x 82	7.9	8.6	23
2	450	450	54 x 32 x 82	8.6	10.1	48
3	600	600	81 x 32 x 82	9.9	12.8	72

6612 East W.T. Harris Blvd Suite G
Charlotte, NC 28215
Phone: 704-321-9204 Fax: 704-321-9206

GOLDSSELLS.com™

SANDWICH/SALAD PREP TABLES

FEATURES

- Stainless Interior and Exterior
- Recessed Handles
- ¾" Thick Cutting Board
- Mega Top Available
- Self-Closing Doors
- Digital Temperature Controls
- Adjustable Heavy-Duty Shelves
- Castors
- ETL/NSF
- 3 Years Parts & Labor
- 5 Year compressor warranty



Restaurant Equipment World

Restaurant Equipment World

DIMENSIONS AND SPECIFICATIONS

DOORS	WEIGHT	PANS	DIMENSIONS W/D/H INCHES	AMPS	CUBIC FT CAPACITY NET
1	176	6 (1/6) and 2 (1/9)	27 x 30 x 47	3.8	6
2	255	12 (1/6)	47 x 30 x 51	6.5	10
2	306	16 (1/6)	61 x 30 x 48	8.3	12
3	388	18 (1/6)	70.25 x 30 x 48	9.9	72

07/19/2016

6612 East W.T. Harris Blvd Suite G
Charlotte, NC 28215
Phone: 704-321-9204 Fax: 704-321-9206

GOLDSSELLS.com™

PIZZA PREP TABLES

FEATURES

- Stainless Interior and Exterior
- Recessed Handles
- Self-Closing Doors
- Digital Temperature Controls
- Adjustable Heavy-Duty Shelves
- Castors
- ETL/NSF
- 3 Years Parts & Labor
- 5 Year compressor warranty



DIMENSIONS AND SPECIFICATIONS

DOOR S	WEIG HT	PANS	DIMENSIONS W/D/H INCHES	AMPS	CUBIC FT CAPACITY NET
1	300	6 (1/3)	60 x 37 3/4 x 57	9.8	9
2	410	9(1/3)	71 x 38 x 57	9.8	16
3	440	12 (1/3)	92 x 38 x 57	10.5	24



Restaurant Equipment World

6612 East W.T. Harris Blvd Suite G
 Charlotte, NC 28215
 Phone: 704-321-9204 Fax: 704-321-9206

07/19/2016

SPOT DISPLAY FREEZERS

FEATURES

- Digital temperature control
- 4 Castors standard
- Anti fog glass doors
- Interior lighting
- Painted aluminum cabinet
- Compressor cooled to -10 F
- Auto defrost
- Warranty 1 year parts and labor
- 4 year compressor warranty
- ETL/NSF

OPTIONS

Custom Graphics



SD110



SD151

DIMENSIONS AND SPECIFICATIONS

MODEL	# OF BASKETS	WEIGHT LBS	EXT DIMS W/D/H INCHES	CTR QTY	AMPS	CUBIC FT CAPACITY NET
SD110	2	100	25 x 23 x 33.2	78/180	1.7	3.5
SD151	2	105	23 x 27.3 x 33.5	54/177	1.68	3.65

07/19/2016

6612 E W.T. Harris Charlotte NC 28215

Web: www.coldsells.com, Phone/Fax: 1-704-321-9204 / 1-704-321-9206

GOLDSELLS.com™

REFRIGERATED & FREEZER BARRELS

FEATURES

- Fixed hinge folding glass lid
- Auto evaporated drip tray
- Durable steel cabinet
- Adjustable thermostat
- Painted steel exterior
- Painted aluminum interior
- Compressor cooled to 32 F
- Freezer to -8
- Warranty 1 year parts & labor
- 4 Year Compressor Warranty

FEATURES

Custom Graphics



SC85



SC65



Ice Barrels

DIMENSIONS AND SPECIFICATIONS

MODEL	# OF OPTIONAL BASKETS	WEIGH T LBS	UNIT SIZE D/H INCHES	OUTSIDE DIAMETER INCHES	POWER USAGE	CUBIC FT CAPACITY NET
SC65	2	66	17.5 x 38	36	1.7 KW	2.3
SC85	2	66	22 x 33	70	2.1 KW	3.0
SC85F	2	75	22 x 33	70	2.5 KW	3.0



07/19/2016

6612 East W.T. Harris Blvd Suite G
Charlotte, NC 28215
Phone: 704-321-9204 Fax: 704-321-9206

WARMERS

FEATURES

- PTC Ceramic Heaters
- Adjustable shelves
- Adjustable temperature control
- Interior lighting
- Glass Door opens front and back
- 95 to 136 degrees fahrenheit
- Warranty 90 days labor and
- 1 year parts
- Optional wraps



S46BW



S60BW

DIMENSIONS AND SPECIFICATIONS

MODEL	# OF SHELVES	WEIGHT LBS	EXT DIMS W/D/H INCHES	POWER	CUBIC FT CAPACITY NET
SC46BW	2	33	17.1 x 12.6 x 23.5	2.5	1.6
SC60BW	3	33	17.1 x 12.6 x 28.6	3	2.1

6612 East W.T. Harris Blvd Suite G
Charlotte, NC 28215

07/19/2016

Phone: 704-321-9204 Fax: 704-321-9206